Medicatech VET®
A Medicatech Company

Veterinary Electric Suction System





This compact electric suction unit is engineered for reliable and efficient performance in veterinary surgical and clinical environments. Designed with a powerful oil-free pump, adjustable negative pressure control, and dual collection bottles, the system ensures precise and consistent fluid removal during a wide range of procedures. Its quiet operation, overflow protection system, and durable ABS portable enclosure make it ideal for modern veterinary clinics and hospitals where safety, mobility, and dependable performance are essential. Built for continuous use, the unit delivers stable suction power, easy operation with panel or foot switch control, and long-lasting durability in demanding medical settings.

MEDICATECH VET®
A Medicatech Company

Specifications

Pump Type	Oil-free vacuum pump
Maximum Negative Pressure	0.09 MPa
Negative Pressure Adjustment Range	0.013 – 0.09 MPa
Suction Flow Rate	≥ 40 L/min
Collection Bottles	2500 ml × 2
Input Power	400 VA
Power Supply	AC 110 V ±11 V, 60 Hz ±1 Hz
Noise Level	≤ 65 dB
Fuse	FL5A 250 V Φ5×20
Operating Temperature	5°C – 35°C
Relative Humidity	≤ 80%
Atmospheric Pressure	800 – 1060 hPa

Construction & Features

- Equipped with one-way valve, control valve, main unit, and dual negative pressure bottles
- Overflow protection system prevents liquid from entering the pump
- Built-in filter helps reduce environmental contamination
- Panel switch and foot switch can be used interchangeably
- Durable all-plastic ABS enclosure for lightweight portability

T. +1 949-679-2881
F. +1 949-679-2882

www.medicatechvet.com

1245 N. Patt Street, Anaheim, CA 92801

Support@medicatechvet.com